





EXPERIENCE THE FUTURE OF CINEMA



About Expromo Cinema

We believe that Expromo Cinema products are redefining the future of cinema. Our products deliver an unparalleled viewing experience and offer cinema owners reduced maintenance, increased seating capacity, and cost efficiency.

Experience the incredible image quality that sets new industry standards. In partnership with our LED screen manufacturer, we bring you extraordinary specifications and breathtaking technology.

Our screens not only meet but exceed DCI certification requirements, ensuring superior performance.

Among millions of pixels – we deliver wonderful installations that lasts and has an attractive total cost of ownership. At Expromo Cinema, we are on a mission to surpass expectations and transform the cinematic experience.





02

Product Features Experience Clarity Like Never Before

Ultra Wide Brightness Range

Excellent linearity across the entire brightness range and a brightness range that extends to the maximum possible.



Ultra High Contrast Ratio

LED screen technology exhibits none of the murky dark gray artifacts that are inherently present in projectors. When it comes to displaying black, LED screen technology delivers true black.

75% Pixel Fill Factor

With a pixel fill factor of over 75%, our screens optimize image clarity and reduce visible pixel structure, contributing to a more cohesive viewing experience.





16-bit Precision Gray-Scale

Our screens use a 16-bit precision grayscale, delivering subtle and realistic color shading, making even the smallest details lifelike.



HDR (High Dynamic Range)

HDR increases the performance and image quality significant. Instead of normal SDR with 256 levels of each color – you can achieve up to 1,024 levels of each color.



Accurate DCI-P3 Color Gamut

Accurate DCI-P3 Color Gamut gives you a full 100% compliance.

 \bigcirc

True Colors and Pure Black

Experience deep, definitive black shades and an accurate color spectrum, creating an uninterrupted, cohesive image quality with true-to-life colors. Banding effects and lack of intensity resolution as seen on LCD displays and projectors are gone.




High Pixel fill


With a pixel fill factor of over 75%, our screens optimize image clarity and reduce visible pixel structure, contributing to a more cohesive viewing experience.

By enhancing the uniformity and brilliance of each image, we ensure that every scene is rendered with stunning detail and vibrant colors. Moreover, our innovative LED caps, which are instrumental in achieving this superior visual quality, are patented technology exclusive to our brand.

These advanced caps not only elevate performance but also set our displays apart in the market for their unmatched image precision and consistency.









04

Patents and Certificates

Expromo Cinema's digital LED cinema screen systems are patented and adhere to strict quality standards. A significant milestone is our DCI (Digital Cinema Initiatives) certification, which attests to our screens' capability to meet the high demands of modern cinemas. The DCI certification guarantees the highest standards in visual quality, security, and compatibility.






AEGISOLVE, INC. 10133 Sherrill Blvd. Suite 110 Knoxville, Tennessee 37932 USA Fax: 650.386.1495 Tel: 650.386.1436

Notice pursuant to Section 2.3.2 of the RESTATED AND AMENDED TESTING AUTHORIZATION AND TEST SUITE LICENSING AGREEMENT made as of January 1, 2017 l and between Digital Cinema Initiatives, LLC (DCI) and AEGISOLVE, INC.

To: Chairman, DCI Member Representatives Commi	ttee	2
Chairman, DCI Member Represent Chairman, DCI Technical Committee		1=th 2024
Chairman, Der rec	Mar	$rch 15^{m}, 2021$
Reporting date Organization	AE	GISOLVE, INC.
	10	133 Sherrill Blvd. Suite
Name of Testing Organization Address of Testing Organization	Knoxville, Tennesser	
	Tr	avis Spann
Name of Test Operator	SI	HENZHEN TIMEWAYIN
Name of Test Operator Name of Test Subject Representative	L	TD.
Name of 1	2	2/F Block C2, The Road, Nanshan District
Address of Test Subject Representative		
La of Test Subject	1	SHENZHEN TIMEWAYI
Make and model of Test Subject Manufacture		LTD.
		Diract
Make		Digital Cinema Direct
		Block
		th IMS30
Μα	LA2K-08 with IMS30	
Inte		
Ver	h (detailed version info	







Projector vs. LED Screen

Traditional cinema projectors have long been the standard, but with technological advancements, LED screens have now become the preferred choice for high-end cinema experiences.

Image Quality

The higher brightness and contrast of LED screens result in more dynamic and realistic image quality. HDR technology and a wider color spectrum ensure an enhanced visual experience.

Maintenance

LED screens generally require less maintenance compared to traditional projector-based systems. Projectors have a limited lamp life and may need frequent replacements and adjustments. In contrast, LED screens are designed for longer life and stable performance.

room.



Space Utilization

LED screens allow for more flexible and space-efficient installations, which can increase the number of seats in a cinema as they do not require a dedicated projection



A complete cinema experience consists not only of visual quality but also of sound quality. At Expromo Cinema, we offer integrated sound solutions that match the high standards of our LED screens.





DOLBY. 71



Sound

Dolby Atmos


Dolby has consistently been regarded as the de facto standard, and our sound systems are designed to comply with its requirements.

DTS:X

A competitor to Dolby is DTS. We fully support both, giving you the flexibility to choose the system that best suits your needs.

7.1 Surround Sound

Backward compatibility is integrated.



Customized Solutions

We provide tailored installations that adapt to specific audio systems in your cinema, working closely with sound providers to ensure the best possible sound quality. This means that regardless of the sound system you already have installed, we can seamlessly integrate our solution.




08

Concluding Remarks

Expromo Cinema offers an unmatched cinema experience with our advanced LED screens and high-quality sound systems. Our products are designed to give movie lovers a deeper and more immersive experience, true to the filmmaker's original vision. With our DCI-certified technology and collaboration with leading sound providers, we are the ideal choice for any high-end cinema wanting to stand out.





expromo CINEMA

Pixel & Module	Pixel pitch (mm)	3.91
Physical	Display size (W x H)	8 x 4.5m
	Weight (kg)	1,080kg
	Cabinet size (W x H)	
	Contrast Ratio	
	Maintenance	
Electrical	Input voltage (nominal) [VAC]	
	Max Consumption	3,360W
	Average Consumption 48nits	1,230W
	Certification	
	LED Life time (hrs)	
	External Part	
Approvals &		
Approvals &	Protection level [IP]	
Approvals & Environmental	Protection level [IP] Operating temperature / Humidity	
	Operating temperature / Humidity	2,048 x 1,080
Environmental	Operating temperature / Humidity Storage temperature / Humidity	2,048 x 1,080
Environmental	Operating temperature / Humidity Storage temperature / Humidity Resolution (W x H)	2,048 x 1,080
Environmental	Operating temperature / Humidity Storage temperature / Humidity Resolution (W x H) Viewing angle	2,048 x 1,080
Environmental	Operating temperature / Humidity Storage temperature / Humidity Resolution (W x H) Viewing angle Brightness (Adjustable)	2,048 x 1,080
Environmental	Operating temperature / HumidityStorage temperature / HumidityResolution (W x H)Viewing angleBrightness (Adjustable)Refresh Rate	2,048 x 1,080
Environmental	Operating temperature / HumidityStorage temperature / HumidityResolution (W x H)Viewing angleBrightness (Adjustable)Refresh RateGrayscale	2,048 x 1,080
Environmental	Operating temperature / HumidityStorage temperature / HumidityResolution (W x H)Viewing angleBrightness (Adjustable)Refresh RateGrayscaleColor Gamut	2,048 x 1,080
Environmental	Operating temperature / HumidityStorage temperature / HumidityResolution (W x H)Viewing angleBrightness (Adjustable)Refresh RateGrayscaleColor Gamut2D Frame Rate	

8m



	10m	16m	20m			
	4.81	3.91	4.81			
	10 x 5.5m	16 x 8.5m	20 x 10.5m			
	1,700kg	4,080kg	6,510kg			
1 x 0.5m						
30000:1						
Rear Maintenance						
	100 ~ 240 VAC 50/60Hz					
	5,060W	12,700W	19,320W			
	1,320W	4,650W	5,040W			
DCI, CCC, CE/ UL, EMC Class A, Safety 60950 - 1						
	100,000 (hal	f brightness)				
HDMI 2.0, 2D						
31						
0°C ~ 40°C / 10 ~ 80% RH						
	- 20° ~ 45° /	5 ~ 95% RH				
	2,048 x 1,080	4,096 x 2,160	4,096 x 2,160			
160°H / 160°V						
48nits / 150nits / 300nits						
1500 to 9300Hz						
R,G,B 16Bit						
	100%	DCI-P3				
24, 25, 30, 48, 60, 120 fps						
	24, 48, 60 fps	24, 28, 60 fps	24, 28, 68 fps			
	DCP (12bit XYZ), Digi	tal Coding JPEG2000				

